

Carina Boonzaaier

From: Giles Churchill <giles.churchill@acerafrica.co.za>
Sent: 11 November 2019 08:30 AM
To: 'Carina Boonzaaier'
Subject: FW: Equiano Cable System - Melkbosstrand

Please add to PPP records for ASN

Giles Churchill
ACER (Africa) Environmental Consultants

Tel: +27 35 340 2715
Mobile: +27 82 9079738
Fax: +27 35 340 2232
E-mail: giles.churchill@acerafrica.co.za



 Please consider the environment before printing this mail
Read our Privacy and Confidentiality Notice at www.acerafrica.co.za

From: Basson Geldenhuys <Basson.Geldenhuys@dpw.gov.za>
Sent: Wednesday, 06 November 2019 13:49
To: Giles Churchill <giles.churchill@acerafrica.co.za>
Subject: RE: Equiano Cable System - Melkbosstrand

Good afternoon Giles

Your email of below has bearing. This email serves as confirmation that you had a meeting with me and informed me and about the proposed activities and the EIA process. I have also been informed by post previously of the EIA process.

Kind regards

Basson Geldenhuys Pr.Pl | chief town planner | projects and professional services | national department of public works and Infrastructure, cape town regional office | room 1419, customs house | lower heerengracht street | cape town | e-mail: basson.geldenhuys@dpw.gov.za | telephone number: +27 21 402 2174 | Fax number: 086 272 8660 | cell phone number: 071 648 8656

From: Giles Churchill [<mailto:giles.churchill@acerafrica.co.za>]
Sent: Monday, 04 November 2019 11:12
To: Basson Geldenhuys <Basson.Geldenhuys@dpw.gov.za>
Subject: Equiano Cable System - Melkbosstrand

Hi Basson

Thank you for meeting with me last week to discuss the proposed Equiano Cable System which will be landed at Melkbosstrand and then feed into the existing SAT-2 Beach Man Hole located on the beach at Melkbosstrand.

I have searched both the provincial and national environmental departments websites and see that land owner notification forms are no longer available on their websites so I am not sure if these forms have been withdrawn and are no longer a requirement for submission with the EIA documents.


Irrespective of the above, please could I ask that you respond to this email just stating that the EAP has engaged with the Department of Public Works (DPW) and that you as a landowner are aware of the project and will be kept informed throughout the EIA process.

Regards
Giles

Giles Churchill
ACER (Africa) Environmental Consultants

Tel: +27 35 340 2715
Mobile: +27 82 9079738
Fax: +27 35 340 2232
E-mail: giles.churchill@acerafrica.co.za



 Please consider the environment before printing this mail
Read our Privacy and Confidentiality Notice at www.acerafrica.co.za

 Virus-free. www.avg.com